

F-RM-52 Bactoferm®

Product Information

Version: 2 PI-EU-EN 09-20-2007

Range The Bactoferm® range of meat cultures contains starter cultures for traditionally

and fast fermented meat products. The range also spans cultures for flavor and

color enhancement and includes mold cultures for surface applications.

Description F-RM-52

is a mixed meat culture for production of fast fermented meat products at 22-

32°C (72-90°F). The culture ensures a unique flavor and a good color

development.

Taxonomy Staphylococcus carnosus

Lactobacillus sakei

Application Usage

The culture is recommended for the production of fast fermented North European style sausages e.g. German Mettwurst and Danish salami, but it is also well suited

for the production of Mediterranean style sausages.

The culture does not ferment saccharose (sucrose) and it is therefore

recommended to use glucose (dextrose) as the carbohydrate source in the mince.

Dosage

25 g culture for 100 kg meat

Directions for use

Addition to sausage mince: The contents of the pouch should be added directly to

the bowl chopper early in the process together with the dry ingredients.

Physical Properties Color: Off-white to brownish

Form: Powder, ground

Solubility: Water soluble suspension

Packaging Material No: Size Type

502597 50X25 G Pouch(es) in box

www.chr-hansen.com Page: 1 (3)

The information contained herein is to the best of our knowledge true and correct and presented in good faith. It may be subject to change without further notice. To the best of our knowledge this product does not infringe Intellectual Property Rights of any third party. This information is offered solely for your consideration and verification. Copyright© Chr. Hansen A/S. All rights reserved.

F-RM-52 Bactoferm®

Product Information

Version: 2 PI-EU-EN 09-20-2007



Storage and handling Temperature: < -17 °C / < 1 °F.

Conditions: Dry

Shelf life For freeze-dried cultures at least 18 months when stored according to

recommendations.

When stored at $+5^{\circ}$ C/-17°F the shelf life is at least 6 weeks.

Technical Data Physiological data

Culture composition	Lactobacillus sakei	Staphylococcus carnosus
Growth temperature		
Opt/max/min	30°C/44°C/10°C	30°C/45°C/10°C
	(86°F/111°F/50°F)	(86°F/113°F/50°F)
Salt limit	9% salt-in-water	16% salt-in-water
Characteristics	Facultative anaerobic	Facultative anaerobic
	DL(+/-)-lactic acid producing	Catalase positive
		Nitrate reductase positive
		Lipolytic
		Proteolytic
Fermentable sugars		
Glucose (dextrose)	+	+
Fructose	+	+
Maltose	-	-
Lactose	-	+
Saccharose (sucrose)	-	-
Starch	-	-

Lowest attainable pH

When the culture is applied in a sausage mince with excess glucose (dextrose) at 24°C it is possible to achieve a pH as low as 4.4.

Analytical methods

References and analytical methods are available on request.

www.chr-hansen.com Page: 2 (3)

The information contained herein is to the best of our knowledge true and correct and presented in good faith. It may be subject to change without further notice. To the best of our knowledge this product does not infringe Intellectual Property Rights of any third party. This information is offered solely for your consideration and verification. Copyright© Chr. Hansen A/S. All rights reserved.

F-RM-52 Bactoferm®

Product Information

Version: 2 PI-EU-EN 09-20-2007



Legislation Chr. Hansen's cultures comply with the general requirements on food safety laid

down in Regulation 178/2002/EC. Lactic acid bacteria are generally recognized as safe and can be used in food, however, for specific applications we recommend to

consult national legislation.

The product is intended for food use.

Food Safety No guarantee of food safety is implied or inferred should this product be used in

applications other than those stated above. Should you wish to use this product in

another application, please contact your Chr. Hansen representative for

assistance.

Ingredients See box label.

Labeling Suggested labeling "lactic acid culture" or "starter culture", however as legislation

may vary, please consult local legislation.

Trademarks appearing in this document might not be registered in your country,

even if they are marked with an ®. Trademarks are owned by Chr. Hansen or used

under license.

Technical support Chr. Hansen's Application and Product Development Laboratories and personnel are

available if you need further information.

www.chr-hansen.com Page: 3 (3)